


TOBACCO COUNTY MAPS (2016)


WYOMING STATE EPIDEMIOLOGICAL OUTCOMES WORKGROUP

CURRENT SMOKING (ADULTS)

Definition: The percentage of Wyoming adults reporting having smoked at least 100 cigarettes in their lifetime and are currently smoking everyday or some days.




Adult Smoking Rate Quartiles




Data Source: Behavioral Risk Factor Surveillance System, 2011-2015

CURRENT SMOKELESS TOBACCO USE (ADULTS)

Definition: The percentage of Wyoming men reporting currently using smokeless tobacco.



Adult Male Smokeless Tobacco Use Quartiles



Data Source: Behavioral Risk Factor Surveillance System, 2011-2015

For more information about Wyoming data at the county level, please refer to the 2016 Community SEOW Profiles. Additional information regarding data averages and unavailable results found at <https://Wysac.uwyo.edu/wysac/seow-notes>



Wyoming Survey & Analysis Center
UNIVERSITY OF WYOMING


Department 3925 • 1000 East University Avenue • Laramie WY 82071
wysac@uwyo.edu • www.wysac.uwyo.edu • (307) 766-2189 • Fax: (307) 766-2759

TOBACCO COUNTY MAPS (2016)


WYOMING STATE EPIDEMIOLOGICAL OUTCOMES WORKGROUP

CURRENT SMOKING (YOUTH)

Definition: The percentage of students in grades 10 and 12 who reported smoking a cigarette in the past 30 days on one or more occasions.




Grades 10 and 12 Current Smoking Rate Quartiles




Data Source: Prevention Needs Assessment, 2010-2014

CIGARETTE SALES VIOLATION RATE TO UNDERAGE BUYERS

Definition: The percentage of Wyoming retailers who failed a cigarette sales compliance check.



Retail Violation Rate Terciles




Data Source: Synar Tobacco Sale Compliance Checks, 2011-2015

TOBACCO COUNTY MAPS (2016)


WYOMING STATE EPIDEMIOLOGICAL OUTCOMES WORKGROUP

SOCIAL NORMS: YOUTH CIGARETTE USE


Definition: The percentage of students who believe that most students in their school have used cigarettes on one or more occasions during the past 30 days.




Wyoming Counties Grades 6 and 8 Social Norm Quartiles



Data Source: Prevention Needs Assessment, 2010-2014



Wyoming Counties Grades 10 and 12 Social Norm Quartiles




Data Source: Prevention Needs Assessment, 2010-2014

TOBACCO COUNTY MAPS (2016)


WYOMING STATE EPIDEMIOLOGICAL OUTCOMES WORKGROUP

SOCIAL NORMS: CHEWING TOBACCO USE


Definition: The percentage of students who believe that most students in their school have used chewing tobacco on one or more occasions during the past 30 days.




Wyoming Counties Grades 6 and 8 Social Norm Quartiles



Data Source: Prevention Needs Assessment, 2010-2014



Wyoming Counties Grades 10 and 12 Social Norm Quartiles



Data Source: Prevention Needs Assessment, 2010-2014